

Quality Manual		Version:	1.1	1/2
Author:	NHo	Date:	16.05.2018	
		Code:	02.04.04.03	
Verified:	AHa	Approval:	MLe	

# DECLARATION OF PEERFORMANCE No . 02.04.04.03

1. Unique identification code of the product-type:

#### **LUMON SAFETY GLASS**

2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):

## **Laminated Safety glass**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

## Laminated safety glass for construction

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11(5):

#### Lumon Oy, Kaitilankatu 11, 45130 Kouvola

www.lumon.com www.turvalasit.fi

5. System or systems of assessment and verification of constancy of the construction product as set out in annex V:

## **AVCP** -class 3

6. In the case of the harmonized standard construction product covered by the Declaration of Performance:

## **VTT Expert Services Oy**

conducted the initial testing of the product and the factory and of factory production control system, according to the initial inspection AVCP-3 system, and gave the test and calculation reports.

## 7. Declared performance:

Essential characteristics	Suoritustaso		Harmonized technical specification (method standard)	
Impact resistance	2+2 0.38 3+3 0.38 3+3 0.76 4+4 0.38 4+4 0.76 4+4 0.76 Crepi 5+5 0.38 6+6 0.38	3(B)3 2(B)2 1(B)1 2(B)2 1(B)1 2(B)2 1(B)1 2(B)2 2(B)2	EN 12600	

8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4:

Signed for and on behalf of the manufacturer by:

Kouvola 16.05.2018

Jussi Kinnunen

CEO